

All material is subject to prior sales
Clearance inventory
Last updated 09/08/2009

Simcona Part number	Characteristics	QTY	RoHS	Price per 1 foot
	Hook-up wire			
B14-19T9499	M16878/1 14awg 19str White/yellow	1000	Yes	\$ 0.037
B16-19T9399	M16878/1 16awg 19str White/orange	2000	No	\$ 0.027
B16-19T9599	M16878/1 16awg 19str White/green	3000	No	\$ 0.027
B18-19T4944	M16878/1 18awg 19str Yellow/white	1000	No	\$ 0.020
B18-19T5444	M16878/1 18awg 19str	1000	No	\$ 0.020
B18-7T5455	M16878/1 18awg 7str Green/yellow	1000	No	\$ 0.200
B20-19T6766	M16878/1 20awg 19str Blue/violet	1000	No	\$ 0.015
B20-19T9399	M16878/1 20awg 19str White/orange	1000	No	\$ 0.015
B24-7T9099	M16878/1 24awg 7str White/black	550	No	\$ 0.008
EE14-19/27-5455	M16878/5 14awg 19str Green/yellow	380	No	\$ 0.194
E18-7/26-9799	M16878/4 18awg 7str White/violet	1400	No	\$ 0.097
E20-19/32-5455	M16878/4 20awg 19str Green/yellow	390	No	\$ 0.071
E20-19/32-9199	M16878/4 20awg 19str White/brown	1000	No	\$ 0.071
E20-7/28-9299	M16878/4 20awg 7str White/red	1000	No	\$ 0.071
E20-7/28-9399	M16878/4 20awg 7str White/orange	1153	No	\$ 0.071
E22-19/34-9199	M16878/4 22awg 19str White/brown	2000	Yes	\$ 0.065
E22-19/34-9599	M16878/4 22awg 19str White/green	1000	No	\$ 0.065
E22-19/34-9699	M16878/4 22awg 19str White/blue	1000	Yes	\$ 0.065
E22-19/34-9799	M16878/4 22awg 19str White/violet	1900	No	\$ 0.065
E22-19/34-9899	M16878/4 22awg 19str White/gray	1000	No	\$ 0.065
E22-7/30-9199	M16878/4 22awg 7str White/brown	1985	No	\$ 0.065
E22-7/30-9299	M16878/4 22awg 7str White/red	2500	No	\$ 0.065
E22-7/30-9599	M16878/4 22awg 7str White/green	2900	No	\$ 0.065
E22-7/30-9699	M16878/4 22awg 7str White/blue	2000	No	\$ 0.065
E22-7/30-9799	M16878/4 22awg 7str White/violet	2000	No	\$ 0.065
E24-19/36-9299	M16878/4 24awg 19str White/red	883	No	\$ 0.055
E24-19/36-9699	M16878/4 24awg 19str White/blue	1043	Yes	\$ 0.055
E26-19/38-9699	M16878/4 26awg 19str White/blue	1000	No	\$ 0.055
E26-7/34-9199	M16878/4 26awg 7str White/brown	1000	No	\$ 0.055
E26-7/34-9699	M16878/4 26awg 7str White/blue	1000	Yes	\$ 0.055
TFFN18STR-BLU/WHT	TFFN 18awg Stranded Blue/white	1000	No	\$ 0.027
THHN10STR-GRN/YEL	THHN 10awg Stranded Green/yellow	2475	No	\$ 0.092
UL1061/B22-7T9699	UL1061/M16878/1 22awg 7str White/blue	3000	Yes	\$ 0.010
UL1429-16-19T0C92MW	UI1429 16awg 19str tinned overcoat White/red	2490	No	\$ 0.035
UL1429-16-19T0C93MW	UI1429 16awg 19str tinned overcoat	2565	No	\$ 0.035
UL1429-22/7-935MW	UL1429 22awg 7str White/orange/green	9000	No	\$ 0.014
UL1429-22/7-95MW	UL1429 22awg 7str White/green	5500	No	\$ 0.014
UL1430-16/19-51CSA	UL1430 16awg 19str Green/brown	1730	No	\$ 0.039
UL1430-16/19-54CSA	UL1430 16awg 19str Green/yellow	750	No	\$ 0.039
UL1430-18/19-54CSA	UL1430 18awg 19str Green/yellow	350	No	\$ 0.033
UL1430-18SLD54CSA	UL1430 18awg Solid Green/yellow	12000	No	\$ 0.033
UL1430-22/7-54CSA	UL1430 22awg 7str Green/yellow	800	No	\$ 0.017
UL3173-18-16T5455	UL3173 18awg 16str Green/yellow	1030	No	\$ 0.024
UL3266-10-37T5455	UL3266 10awg 37str Green/yellow	500	No	\$ 0.150
UL3271-10-37T5455	UL3271 10awg 37str Green/yellow	200	No	\$ 0.150
10A531-105T0900	UL1015 10awg 105str Black/white	1000	No	\$ 0.130

All material is subject to prior sales
Clearance inventory
Last updated 09/08/2009

Simcona Part number	Characteristics	QTY	RoHS	Price per 1 foot
12A531-65T4555	UL1015 12awg 65str Yellow/green/green/green	1080	Yes	\$ 0.085
14-1569-41T5455	UL1569 14awg 41str Green/yellow	3500	No	\$ 0.055
14A531-41T4555	UL1015 14awg 41str Yellow/green/green/green	1020	Yes	\$ 0.055
14A531-41T9199	UL1015 14awg 41str White/brown	9000	No	\$ 0.055
14A531-41T9499	UL1015 14awg 41str White/yellow	1000	Yes	\$ 0.055
16-1061-26T5455PR	UL1061 16awg 26str Green/yellow	2075	Yes	\$ 0.040
16A531-26T0600	UL1015 16awg 26str Black/blu	1000	No	\$ 0.040
16A531-26T4555	UL1015 16awg 26str Yellow/green/green/green	3520	No	\$ 0.040
16TR64-26T5455PR	UL1007 16awg 26str Green/yellow	52100	No	\$ 0.040
16TR64-26T9499PR	UL1007/1569 16awg 26str White/yellow	1000	Yes	\$ 0.040
16TR64-26T9699PR	UL1007/1569 16awg 26str White/blue	500	No	\$ 0.040
18-1061-16T9099PR	UL1061 18awg 16str White/black	1000	Yes	\$ 0.025
18A531-16T0300	UL1015 18awg 16str Black/orange	1000	No	\$ 0.025
18A531-16T4555	UL1015 18awg 16str Yellow/green/green/green	2000	No	\$ 0.025
18A531-16T6966	UL1015 18awg 16str Blue/white	1000	No	\$ 0.025
18A531SLD9099	UL1015 18awg Solid White/black	1000	No	\$ 0.025
18TR64-16T0400PR	UL1007 18awg 16str Black/yellow	1000	No	\$ 0.025
18TR64-16T6066PR	UL1007/1569 18awg 16str Blue/black	1000	Yes	\$ 0.025
18TR64-16T8088PR	UL1007/1569 18awg 16str Gray/black	5000	Yes	\$ 0.025
18TR64-16T8988PR	UL1007/1569 18awg 16str Gray/white	2020	Yes	\$ 0.025
20-1061-7T9799PR	UL1061 20awg 7str White/violet	4050	No	\$ 0.020
20A531-10T2022	UL1015 20awg 10str Red/black	2000	No	\$ 0.020
20A531-10T9499	UL1015 20awg 10str White/yellow	500	No	\$ 0.020
20TR64-10T5455	UL1007 20awg 10str Green/yellow	300	No	\$ 0.020
20TR64-10T9099PR	UL1007 20awg 10str White.black	4000	No	\$ 0.020
22A531-7T9099	UL1015 22awg 7str White/black	1000	No	\$ 0.017
22A531-7T9199	UL1015 22awg 7str White/brown	1000	No	\$ 0.017
22A531-7T9299	UL1015 22awg 7str White/red	450	No	\$ 0.017
22A531-7T9399	UL1015 22awg 7str White/orange	500	No	\$ 0.017
22A531-7T9499	UL1015 22awg 7str White/yellow	500	No	\$ 0.017
22A531-7T9599	UL1015 22awg 7str White/green	500	No	\$ 0.017
22A531-7T9699	UL1015 22awg 7str White/blue	200	No	\$ 0.017
22A531-7T9799	UL1015 22awg 7str White/violet	1000	No	\$ 0.017
22A531-7T9899	UL1015 22awg 7str White/gray	1000	No	\$ 0.017
24-1061-7T9599PR	UL1061 24awg 7str White/green	1000	No	\$ 0.015
24-1061-7T9699PR	UL1061 24awg 7str White/blue	1000	No	\$ 0.015
24TR64-7T9199PR	UL1007 24awg 7str White/brown	1000	No	\$ 0.015
28-1061-7T9199MW	UL1061 28awg 7str White/brown	1000	No	\$ 0.015
28-1061-7T9399MW	UL1061 28awg 7str White/orange	1000	No	\$ 0.015
28-1061-7T9599MW	UL1061 28awg 7str White/green	1000	No	\$ 0.015
28-1061-7T9699MW	UL1061 28awg 7str White/blue	1000	No	\$ 0.015
28-1061-7T9799MW	UL1061 28awg 7str White/violet	1000	No	\$ 0.015
3075GRN/YEL	Alpha 3075/UL1015 18awg 16str Green/yellow	1000	No	\$ 0.025
6A531-133T-5455	UL1283 6awg 133str Green/yellow	250	No	\$ 0.350
6A531-133T2022	UL1283 6awg 133str Red/black	500	No	\$ 0.350
8A531-133T5455PR	UL1028 8awg 133str Green/yellow	350	No	\$ 0.250
10UL1431-105T0000	UL1431 10awg Blk 600v	11375	No	\$ 0.150

All material is subject to prior sales
Clearance inventory
Last updated 09/08/2009

Simcona Part number	Characteristics	QTY	RoHS	Price per 1 foot
10UL1431-105T0000PR	UL1431 10awg Blk 600v	2000	No	\$ 0.150
12A531-65T3333	UL1015 12/65TC Orange 600v 105c	42550	No	\$ 0.075
12A531-65T4444	UL1015 12/65TC Yellow 600v 105c	13000	No	\$ 0.075
12A531-65T6666	UL1015 12/65TC Blue 600v 105c	11050	No	\$ 0.075
14A531-41T3333	UL1015 14/41TC Orange 600v 105c	8995	No	\$ 0.055
14A531-41T4555	UL1015 14awg 41str Yellow/green/green/green	1050	No	\$ 0.055
14A531-41T5555	UL1015 14awg 41str Green	2000	No	\$ 0.055
14A531-41T7777	UL1015 14awg 41str Violet	5000	No	\$ 0.055
14A531-41T9999	UL1015 14awg 41str White	3200	No	\$ 0.055
16TR64-26T1111PR	UL1007 16awg 26str Brown	23000	No	\$ 0.035
16TR64-26T3333PR	UL1007 16awg 26str Orange	71010	No	\$ 0.035
16TR64-26T4444PR	UL1007 16awg 26str Yellow	8010	No	\$ 0.035
16TR64-26T6666PR	UL1007 16awg 26str Blue	28900	No	\$ 0.035
16TR64-26T8888PR	UL1007 16awg 26str Gray	30250	No	\$ 0.035
16TR64-26T9999PR	UL1007 16awg 26str Wht	8324	No	\$ 0.035
18A531-16T-PINK	UL1015 18awg 16str PINK 600v 105c	19000	No	\$ 0.025
18A531-16TOC0000	UL1015 18awg 16strand tin over coat Black 600v 105c	400	No	\$ 0.025
18A531-16TOC2222	UL1015 18awg 16strand tin over coat Red 600v 105c	1000	No	\$ 0.025
18A531-16TOC3333	UL1015 18awg 16strand tin over coat Orange 600v 105c	1000	No	\$ 0.025
18A531-16TOC5555	UL1015 18awg 16strand tin over coat Green 600v 105c	3000	No	\$ 0.025
18A531-16T0C0000	UL1015 18awg 16strand tin over coat Black 600v 105c	10000	No	\$ 0.025
18A531-16T0C9999	UL1015 18awg 16strand tin over coat White 600v 105c	10000	No	\$ 0.025
18A531SLD8888		4500		
18TR64-16BOC9999PR		500		
18TR64-16BOC2222PR		500		
18TR64-16BOC5555PR		1000		
18TR64-16TOC9999PR	UL1007 18awg 16strand tin over coat White 300v 80c	19000		\$ 0.025
18TR64-16T0C0000PR	UL1007 18awg 16strand tin over coat Black 300v 80c	1000		\$ 0.025
RHW2STR-BLK	2 gauge stranded RHW insulation color Black	900		\$ 0.600

Cables

5122FL	Belden 4 cond. 14 awg Solid Shielded color code Red, Black, Brown, & Blue FPL rated RED PVC JKT with rip cord	900	No	\$ 0.275
5500UG-BGE	Belden 2 cond 22-7/30 gauge Bare copper, Beige PVC JKT unshielded 300 volts Non-RoHS	2000		\$ 0.030
5500UG-BLU	Belden 2 cond 22-7/30 gauge Bare copper, Blue PVC JKT unshielded 300 volts Non-RoHS	6000		\$ 0.030

All material is subject to prior sales
Clearance inventory
Last updated 09/08/2009

Simcona Part number	Characteristics	QTY	RoHS	Price per 1 foot
5500UG-BRN	Belden 2 cond 22-7/30 gauge Bare copper, Brown PVC JKT unsheilded 300 volts Non-RoHS	6000		\$ 0.030
5500UG-GRN	Belden 2 cond 22-7/30 gauge Bare copper, Green PVC JKT unsheilded 300 volts	6000		\$ 0.030
5500UG-GRY	Belden 2 cond 22-7/30 gauge Bare copper, Gray PVC JKT unsheilded 300 volts	4000		\$ 0.030
5500UG-ORG	Belden 2 cond 22-7/30 gauge Bare copper, Orange PVC JKT unsheilded 300 volts	2000		\$ 0.030
5500UG-VIO	Belden 2 cond 22-7/30 gauge Bare copper, Violet PVC JKT unsheilded 300 volts	3000		\$ 0.030
5500UG-YEL	Belden 2 cond 22-7/30 gauge Bare copper, Yellow PVC JKT unsheilded 300 volts	6000		\$ 0.030
5502UG-BGE	Belden 4 cond 22-7/30 gauge Bare copper, Beige PVC JKT unsheilded 300 volts	5500		\$ 0.048
5502UG-BLU	Belden 4 cond 22-7/30 gauge Bare copper, Blue PVC JKT unsheilded 300 volts	2000		\$ 0.048
5502UG-BRN	Belden 4 cond 22-7/30 gauge Bare copper, Brown PVC JKT unsheilded 300 volts	6000		\$ 0.048
5502UG-GRN	Belden 4 cond 22-7/30 gauge Bare copper, Green PVC JKT unsheilded 300 volts	6000		\$ 0.048
5502UG-ORG	Belden 4 cond 22-7/30 gauge Bare copper, Orange PVC JKT unsheilded 300 volts	6000		\$ 0.048
5502UG-YEL	Belden 4 cond 22-7/30 gauge Bare copper, Yellow PVC JKT unsheilded 300 volts	2000		\$ 0.048
5502UG-GRY	Belden 4 cond 22-7/30 gauge Bare copper, Gray PVC JKT unsheilded 300 volts	4500		\$ 0.048
5502UG-VIO	Belden 4 cond 22-7/30 gauge Bare copper, Violet PVC JKT unsheilded 300 volts	4000		\$ 0.048
10/3ST-YEL	10 awg 3 cond Type ST Yellow Jacket	940	No	\$ 0.600
10/4SE0W-YEL	10 awg 4 cond Type SEOW Yellow Jkt 600v	250	No	\$ 0.800
10/4TRAY	10 awg 4 cond Tray cable Black jacket	200	No	\$ 0.800
10/6-S0-BLK	10 awg 6 cond Type SO black jacket 600v	1797	No	\$ 1.000
10/6S00W	10 awg 6 cond Type SO black jacket 600v	941	No	\$ 1.000
10/6S00W-BLK	10 awg 6 cond Type SO black jacket 600v	717	No	\$ 1.000